



GBAR.EX2764
Dry-chemical Extinguishers, Hand and Wheeled

Page Bottom

Dry-chemical Extinguishers, Hand and Wheeled

See General Information for Dry-chemical Extinguishers, Hand and Wheeled

AMEREX CORP
 7595 GADSDEN HWY E
 PO BOX 81
 TRUSSVILLE, AL 35173 USA

EX2764

Cartridge-activated-type Extinguishers

Model	Nominal Agent Capacity, lb	Min Use Temp, °F	Rating	Marine Type
Ammonium phosphate				
470, 467, 450	125	-65	30-A:240-B:C	Yes
491	300	-65	40-A:320-B:C	Yes
Potassium bicarbonate				
452, 469, 472	125	-65	320-B:C	Yes
493	300	-65	320-B:C	Yes
Sodium bicarbonate				
451, 468, 471	150	-65	240-B:C	Yes
492	350	-65	320-B:C	Yes

Stored-pressure-type Extinguishers

Model	Nominal Agent Capacity, lb	Min Use Temp, °F	Rating	Marine Type
Ammonium phosphate				
B417	2.5	-65	1-A:10-B:C	Yes
B424, B500	5	-65	2-A:10-B:C	Yes
B402	5	-65	3-A:40-B:C	Yes
B461, B443	6	-65	3-A:40-B:C	Yes
720	10	-65	1-A:20-B:C	Yes
B456, B441	10	-65	4-A:80-B:C	Yes
592	13.2	-65	4-A:80-B:C	Yes
594	13.2	-65	2-A:40-B:C	Yes
581	20	-65	4-A:40-B:C	Yes
760	20	-65	4-A:60-B:C	Yes
423, 564, A411	20	-65	10-A:120-B:C	Yes

589	30	-65	10-A:160-B:C	Yes
567	30	-65	4-A:40-B:C	Yes
763	30	-65	4-A:80-B:C	Yes
495	50	-40	20-A:160-B:C	Yes
488	125	-65	30-A:240-B:C	Yes
573	250	-40	40-A:160-B:C	Yes
Potassium bicarbonate				
B410	2.5	-65	10-B:C	Yes
B416	5	-65	10-B:C	Yes
B479	5	-65	30-B:C	Yes
722	10	-65	20-B:C	Yes
B460	10	-65	80-B:C	Yes
595	13.2	-65	40-B:C	Yes
599	13.2	-65	80-B:C	Yes
584	20	-65	20-B:C	Yes
580	20	-65	40-B:C	Yes
762	20	-65	60-B:C	Yes
566, A413, 415	20	-65	120-B:C	Yes
569	30	-65	40-B:C	Yes
764	30	-65	80-B:C	Yes
591	30	-65	160-B:C	Yes
497	50	-40	160-B:C	Yes
689, 690	125	-40	120-B:C	Yes
490	125	-65	320-B:C	Yes
575	250	-40	160-B:C	Yes
Sodium bicarbonate				
A620	1	-65	2-B:C	No
B403, C403	2.5	-65	10-B:C	Yes
B409	5	-65	10-B:C	Yes
B453	5.5	-65	40-B:C	Yes
B459, B462	6	-65	40-B:C	Yes
721	10	-65	20-B:C	Yes
B457, B447	10	-65	60-B:C	Yes
593	13.2	-65	40-B:C	Yes
A412, 408	20	-65	120-B:C	Yes
582	20	-65	40-B:C	Yes
761	20	-65	60-B:C	Yes
568	30	-65	40-B:C	Yes
496	50	-40	160-B:C	Yes
489	150	-65	240-B:C	Yes
574, 579	250	-40	160-B:C	Yes

High-flow Extinguishers

Extinguishing Agent	Model
Ammonium phosphate	581, 567, 495, 470, 467, 450, 488, 573, 491, 720, 760, 763
Potassium bicarbonate	580, 569, 584, 497, 689, 690, 490, 575, 452, 469, 472, 493, 722, 762, 764
Sodium bicarbonate	582, 568, 496, 489, 574, 579, 451, 468, 471, 492, 721, 761

Trademark and/or Tradename: "Sure Shot"

Last Updated on 2011-06-16

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".